TEST REPORT NO 477123/24/GDY

		Sample (according to declaration of Client) Sample description: Thyreo Nadarra, 60 green capsules Batch: THN/24072024 Production date: 24.07.2024 Expiry date: 24.07.2026
Sample reception date:	05.08.2024	Sample status: no objections
Start of analysis	08.08.2024	
End of analysis	09.08.2024	Sample received from the Client
Test report date	09.08.2024	

Test Method	Unit	Result	Criteria	Statement of conformity
Selenium (Se) 1) 2) PB-223/ICP ed. 4 of 29.12.2022	µg/capsule	43,6 ± 11,8	-	-

1) Capsule weight declared by the Client: 495 mg.

2) The result is outside the scope of the accreditation. The scope of accreditation (0,025 - 1,25) mg/kg.

Authorized by:
ID: 94, Analysis Expert, Spectrometry Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:
Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited
# Test performed by external provider

THE END OF THE REPORT

TEST REPORT NO 477122/24/GDY

		Sample (according to declaration of Client) Sample description: Thyreo Nadarra, 60 green capsules Batch: THN/24072024 Production date: 24.07.2024 Expiry date: 24.07.2026
Sample reception date:	05.08.2024	Sample status: no objections
Start of analysis	08.08.2024	
End of analysis	09.08.2024	Sample received from the Client
Test report date	09.08.2024	

Test Method	Unit	Result	Criteria	Statement of conformity
* Zinc (Zn) 1) PB-36/ICP ed. 8 of 29.12.2022	mg/capsule	6,33 ± 1,58	-	-

1) Capsule weight declared by the Client: 495 mg.

Authorized by:
ID: 94, Analysis Expert, Spectrometry Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:
Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited
# Test performed by external provider

THE END OF THE REPORT

TEST REPORT NO 477124/24/GDY

		Sample (according to declaration of Client) Sample description: Thyreo Nadarra, 60 green capsules Batch: THN/24072024 Production date: 24.07.2024 Expiry date: 24.07.2026
Sample reception date:	05.08.2024	Sample status: no objections
Start of analysis	08.08.2024	
End of analysis	09.08.2024	Sample received from the Client
Test report date	09.08.2024	

Test Method	Unit	Result	Criteria	Statement of conformity
* Copper (Cu) 1) PB-36/ICP ed. 8 of 29.12.2022	mg/capsule	0,57 ± 0,14	-	-

1) Capsule weight declared by the Client: 495 mg.

Authorized by:
ID: 94, Analysis Expert, Spectrometry Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:
Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited
# Test performed by external provider

THE END OF THE REPORT

TEST REPORT NO 477279/24/GDY

		Sample (according to declaration of Client) Sample description: Thyreo Nadarra, 60 purple capsules Batch: THN/24072024 Production date: 24.07.2024 Expiry date: 24.07.2026
Sample reception date:	05.08.2024	Sample status: no objections
Start of analysis	08.08.2024	
End of analysis	09.08.2024	Sample received from the Client
Test report date	09.08.2024	

Test Method	Unit	Result	Criteria	Statement of conformity
* Vitamin A 1) 2) 3) PB-40/HPLC ed. III of 28.02.2009				
Vitamin A (retinol)	µg/capsule	658 ± 99	500 +50%/-20%	Pass
Vitamin A (retinol) as retinyl acetate	µg/capsule	754 ± 113	-	-

1) Capsule weight declared by the Client: 495 mg.

2) Guidance Document for competent authorities for the control of compliance with EU legislation on: Regulation (EU) No 1169/2011 of the European Parliament and of the Council of 25 October 2011 on the provision of food information to consumers, amending Regulations (EC) No 1924/2006 and (EC) No 1925/2006 of the European Parliament and of the Council, and repealing Commission Directive 87/250/EEC, Council Directive 90/496/EEC, Commission Directive 1999/10/EC, Directive 2000/13/EC of the European Parliament and of the Council, Commission Directives 2002/67/EC and 2008/5/EC and Commission Regulation (EC) No 608/2004 and Council Directive 90/496/EEC of 24 September 1990 on nutrition labelling of foodstuffs and Directive 2002/46/EC of the European Parliament and of the Council of 10 June 2002 on the approximation of the laws of the Member States relating to food supplements with regard to the setting of tolerances for nutrient values declared on a label, December 2012. Table 2.

3) Client specification.

Authorized by:
ID: 293, Analysis Expert, Vitamin Analysis Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:
Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited
# Test performed by external provider

THE END OF THE REPORT

TEST REPORT NO 477278/24/GDY

		Sample (according to declaration of Client) Sample description: Thyreo Nadarra, 60 purple capsules Batch: THN/24072024 Production date: 24.07.2024 Expiry date: 24.07.2026
Sample reception date:	05.08.2024	Sample status: no objections
Start of analysis	08.08.2024	
End of analysis	26.08.2024	Sample received from the Client
Test report date	26.08.2024	

Test Method	Unit	Result	Criteria	Statement of conformity
# Trans-resveratrol 1) SOP 3.1.58	mg/capsule filling	42,87 ± 2,14	-	-

1) Capsule filling weight declared by the Client: 400 g.

Test: Trans-resveratrol was performed in laboratory Certified Laboratories, Inc. Tustin United States of America

Authorized by:
Subcontracted test results are authorised by persons authorised by the external provider.
The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited
# Test performed by external provider

THE END OF THE REPORT

TEST REPORT NO 477280/24/GDY

		Sample (according to declaration of Client) Sample description: Thyreo Nadarra, 60 purple capsules Batch: THN/24072024 Production date: 24.07.2024 Expiry date: 24.07.2026
Sample reception date:	05.08.2024	Sample status: no objections
Start of analysis	09.08.2024	
End of analysis	14.08.2024	Sample received from the Client
Test report date	14.08.2024	

Test Method	Unit	Result	Criteria	Statement of conformity
* # Methylcobalamin (sum of methyl and hydroxycobalamin) 1) 2) USP 44 NF 39 mod. / LC-UV/DAD	µg/capsule	4,33 ± 0,61	4 - 7,5	Pass

1) Guidance Document for competent authorities for the control of compliance with EU legislation on: Regulation (EU) No 1169/2011 of the European Parliament and of the Council of 25 October 2011 on the provision of food information to consumers, amending Regulations (EC) No 1924/2006 and (EC) No 1925/2006 of the European Parliament and of the Council, and repealing Commission Directive 87/250/EEC, Council Directive 90/496/EEC, Commission Directive 1999/10/EC, Directive 2000/13/EC of the European Parliament and of the Council, Commission Directives 2002/67/EC and 2008/5/EC and Commission Regulation (EC) No 608/2004 and Council Directive 90/496/EEC of 24 September 1990 on nutrition labelling of foodstuffs and Directive 2002/46/EC of the European Parliament and of the Council of 10 June 2002 on the approximation of the laws of the Member States relating to food supplements with regard to the setting of tolerances for nutrient values declared on a label, December 2012. Table 2.

2) Client specification.

Test: Methylcobalamin (sum of methyl and hydroxycobalamin) was performed in laboratory with an accreditation number 581

Authorized by:
Subcontracted test results are authorised by persons authorised by the external provider.
The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited
# Test performed by external provider

THE END OF THE REPORT

TEST REPORT NO 477121/24/GDY

		Sample (according to declaration of Client) Sample description: Thyreo Nadarra, 60 green capsules Batch: THN/24072024 Production date: 24.07.2024 Expiry date: 24.07.2026
Sample reception date:	05.08.2024	Sample status: no objections
Start of analysis	14.08.2024	
End of analysis	23.08.2024	Sample received from the Client
Test report date	23.08.2024	

Test Method	Unit	Result	Criteria	Statement of conformity
* Free proteinogenic amino acids 1) 3) 4) 5) PB-53/HPLC ed. II of 30.12.2008				
Aspartic acid 2)	mg/dose	< 0,02 (0,02 ± 0,01)	-	-
Glutamic acid 2)	mg/dose	< 0,02 (0,02 ± 0,01)	-	-
Serine 2)	mg/dose	< 0,02 (0,02 ± 0,01)	-	-
Histidine 2)	mg/dose	< 0,02 (0,02 ± 0,01)	-	-
Glycine	mg/dose	0,14 ± 0,02	-	-
Arginine 2)	mg/dose	< 0,02 (0,02 ± 0,01)	-	-
Threonine 2)	mg/dose	< 0,02 (0,02 ± 0,01)	-	-
Alanine 2)	mg/dose	< 0,02 (0,02 ± 0,01)	-	-
Proline 2)	mg/dose	< 0,02 (0,02 ± 0,01)	-	-
Tyrosine	mg/dose	192 ± 31	-	-
Valine	mg/dose	0,14 ± 0,02	-	-
Methionine 2)	mg/dose	< 0,02 (0,02 ± 0,01)	-	-
Cysteine 2)	mg/dose	< 0,02 (0,02 ± 0,01)	-	-
Isoleucine 2)	mg/dose	< 0,02 (0,02 ± 0,01)	-	-
Leucine	mg/dose	8,66 ± 1,38	-	-
Phenylalanine	mg/dose	0,91 ± 0,15	-	-
Lysine 2)	mg/dose	< 0,02 (0,02 ± 0,01)	-	-

1) Capsule weight declared by the Client: 495 mg.

2) The lower limit of the measuring range of the accredited method, which is also the limit of quantification set by the Laboratory.

3) Cysteine - the result is the sum of cystine and cysteine.

4) Glutamic acid - the result is the sum of glutamic acid and its salts.

5) Aspartic acid - the result is the sum of aspartic acid and its salts.

TEST REPORT NO 719073/24/GDY

Client NÀDARRA GmbH Alsterkamp 19 20149 Hamburg		Sample (according to declaration of Client) Sample description: Thyreo Nadarra, 60 purple capsules Batch: THN/24072024 Production date: 24.07.2024 Expiry date: 24.07.2026 Sample number: 477281/24/GDY
Sample reception date:	05.08.2024	Sample status: no objections
Start of analysis	12.08.2024	
End of analysis	16.08.2024	Sample received from the Client
Test report date	21.11.2024	

Test Method	Unit	Result	Criteria	Statement of conformity
* # Coenzyme Q10 1) SOP O-24	mg/capsule	96,1 ± 19,2	-	-

1) Capsule weight 495 mg.

Test: Coenzyme Q10 was performed in laboratory with an accreditation number L 1162

Authorized by:
Subcontracted test results are authorised by persons authorised by the external provider.
The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited
# Test performed by external provider

THE END OF THE REPORT