

TEST REPORT NO 722756/24/GDY

Client NADARRA GmbH Harvestehuder Weg 48 20149 Hamburg		Sample (according to declaration of Client) Sample description: Jod Nadarra, 120 capsules Batch: JN/19082024 Production date: 19.08.2024 Expiry date: 19.08.2026 Sample number: 591823/24/GDY		
Sample reception date:	24.09.2024	Sample status: no objections Sample received from the Client		
Start of analysis	01.10.2024			
End of analysis	14.10.2024			
Test report date	26.11.2024			
Test Method	Unit	Result	Criteria	Statement of conformity
* # Iodine VDLUFA VII, 2.2.2.3; 2011				
Iodine	µg/capsule	76,5 ± 20,5	-	-
Iodine calculated as potassium iodate	µg/capsule	128,9 ± 34,5	-	-

Test: Iodine was performed in laboratory with an accreditation number D-PL-14165-01-00

Authorized by:

Subcontracted test results are authorised by persons authorised by the external provider.
 The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited

Test performed by external provider

THE END OF THE REPORT